Change of Packaging Bag Specifications for KURARAY POVAL[™] and EXCEVAL[™].

Kuraray Co., Ltd. announce a change in the specifications of the packaging bags for KURARAY POVAL[™] and EXCEVAL[™].

The changes are as follows.


- 1. Information
- KURARAY POVAL[™] and EXCEVAL[™] logo renewal
- Elimination of color code (upper left and lower right of bag) attachment and printing
- Contact address and phone number added
- Unified formatting and fonts globally
- Printing of brand name and lot number on both sides and front side globally
- Printing of bag number on each bag globally
- 2. Period of change

The new design will be introduced in phases, starting with production in April 2025 in Asia-Pacific. In North America, Central America, South America and Europe, the change will take place from the middle of this year.

Please note that the timing of the change may vary depending on the inventory of the old design bags and the timing of production.

3. New Design (Please, find it below)


• Asia-Pacific




	May form combustible dust co	ncentrations in air
	News Line 79年7日-27 1949日 2049日 2049日 2049日 2049日日 2049 2049 2049 2049 2049 2049 2049 2049	執道会社クラレ ボパート機能開墾部 1世紀2000 11日日 14日 14日 14日 14日 14日 14日 14日 14日 14
	Rutional Display Left 7.5 pp Records and how the set of	K) Kinaray Gu, 1.54 Pilouij Resht Dialon Toliviesberti Davie 2 Juliu, Otemach, Chystelen Tou-2004 (1997), Japan 100-2004 (1994-1707-1480)
	LS41/9 3 herein = caran = za m Zappe - prim = pa. Normatika august Rational Display Light - Far industrial august only 2.5 prim - Far industrial august only control for food and feast ingreativet.	
	280mm	
	ray Po	
Wamhing May farm Combustible dust concentrations in air. Precautionary Statement Prevandion Keep away from heat/sperks/open flames/hot surfaces. Na wonking: Keep contailers tightig closed. Ground		KURARAY ASIA PACIFIC PTE LTD 10 Salva Avenue Singapore 027887 TEL: +65-68677088
and bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard. Observe good industrial hygiene practices. Response	Polyvinyl Alcohol Resin	
Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to	NET WT. 20 kg 🔹 44.1 lbs.	
extinguish.		0
extinguish. Btorege Store away from incompatible materials. Dispose Dispose of waste and residues in accordance with	www.kuraray-poval.com	Keep Dry

(The green part means embossed, and the bag is white.)

• North America, Central America and South America





• Europe



Customers may contact their local Kuraray contact for further details.

Thank you for your kind consideration and understanding.

About Kuraray

Kuraray is a globally active specialty chemicals company and manufacturer of innovative high-performance materials. The company produces its wide range of polyvinyl alcohol (PVOH/PVA) grades under well-known brands such as KURARAY POVAL[™], EXCEVAL[™], ELVANOL[™], and MOWIFLEX[™] in Japan, Singapore, Germany, and the USA.

Kuraray's global production and service network makes us your partner of choice for innovative high-quality PVOH resins.

Press contact: Heiko Mack Director of Poval Business Kuraray Europe GmbH Philipp-Reis-Straße 4 65795 Hattersheim am Main Tel.: +49 69 305 85343 E-Mail: <u>Heiko.Mack@kuraray.com</u> Website: <u>www.kuraray-poval.com</u>