

# Market drive for sustainable packaging solutions

There is a pull from the market to develop sustainable, novel and convenient packaging for extended shelf-life foods. At the same time there is an industry drive to increase the functionality of the produced paper and board and through that adding the commercial value. This is an opportunity for aqueous barrier coatings on paper and board.

## Polyvinyl alcohol

# An excellent barrier against oxygen and grease

OF OF OH OH

Polyvinyl alcohol is a nonionic water soluble polymer that is well suited for water based barrier coatings. Polyvinyl alcohol is a linear and crystalline polymer that is also inherently biodegradable under the right conditions. The hydrophilic nature of polyvinyl alcohol makes it well suited as a barrier against grease and oil as well as mineral oils. The hydrogen bonds between the polymer chains together with the crystalline structure make polyvinyl alcohol the best available barrier against oxygen. Polyvinyl alcohol is approved to be used in food packaging according to BfR and FDA.

Barrier Material	Oxygen Barrier (OTR)
Polyethylene, polypropylene	-
PET	+
PA6 (Nylon)	+
PVDC	++
EVOH, PVOH	+++



### KURARAY POVAL™ & EXCEVAL™

# **Kuraray case studies**

Kuraray has worked intensively to develop water based barrier coatings for the packaging sector and our KURARAY POVALTM and EXCEVALTM are already used in applications where an oxygen barrier or a grease barrier is needed. Examples for applications like these are paper bags for bread and coffee packaging.



# KURARAY POVAL™, ELVANOL™ & EXCEVAL™ product portfolio

Our KURARAY POVAL™, ELVANOL™ and EXCEVAL™ are well known to the paper industry. They are widely used in coated graphical papers, ink jet papers, thermal papers and release liners. They can be coated with all commonly used coating methods like film press, blade coaters or curtain coaters.

Kuraray offer a wide range of products to meet the requirements and needs of the different applications.



# Starch sized base paper

OTR of uncoated paper: > 2000 mL/m²/d

Used barrier coating: EXCEVAL™ HR-3010: 100 pts Coating weight: 7 g/m²

> Reached OTR value: <1ml/m²/d 23°C, 50% RH



Product	Viscosity (mPas)		Barrier against			
	4% solution	02	Grease	Mineral Oil	Water	
EXCEVAL™ AQ-4104	3,5 - 4,5	+++	+++	+++	+	
EXCEVAL™ HR-3010	12,0 - 16,0	+++	+++	+++	+	
EXCEVAL™ RS 2117	25,0 - 30,0	+++	+++	+++	+	
ELVANOL™ 90-50	11,6 - 15,4	++	+++	+++		
ELVANOL™ 71-30	27,0 - 33,0	++	+++	+++		
KURARAY POVAL™ 6-98	5,0 - 7,0	++	+++	+++		
KURARAY POVAL™ 15-99	12,5 - 17,5	++	+++	+++		
KURARAY POVAL™ 28-99	26,0 - 30,0	++	+++	+++		
	-					

# Adding value to your products — worldwide

KURARAY POVAL™, EXCEVAL™, ELVANOL™, and MOWIFLEX™ are the trademarks for polyvinyl alcohols (PVOH) made by Kuraray. Their key characteristics — outstanding film-forming properties and high binding strength — add real value to your products. Our polymers are water-soluble, highly reactive, crosslinkable and foamable. They have high pigment binding capacity, protective colloid characteristics and thickening effects. The physical and chemical properties of KURARAY POVAL™ make it ideal for a wide variety of applications, ranging from adhesives through paper and ceramics to packaging films. Many of our polymers are food contact-approved and thus suitable for food applications.

Kuraray produces its wide range of KURARAY POVAL™ grades in Japan, Singapore, Germany and the USA. Kuraray's global production and service network make us your partner of choice for innovative high-quality PVOH resins.



# kuraray

#### **HEADQUARTERS**

Kuraray Co., Ltd. Tokiwabashi Tower 2-6-4, Otemachi Chiyoda-ku Tokyo, Japan 100-0004

Kuraray America, Inc. 3700 Bay Area Blvd., Suite 680 Houston, TX77058 United States of America Kuraray Asia Pacific Pte., Ltd. 1 North Buona Vista Link #12-10/11, Elementum Singapore 139691 Kuraray Europe GmbH Philipp-Reis-Str. 4 65795 Hattersheim am Main, Germany Kuraray China Co., Ltd. Unit 2207, 2 Grand Gateway 3 Hongqiao Road, Xuhui District, Shanghai 200030, China

#### DISCLAIME

KURARAY POVAL™, EXCEVAL™, ELVANOL™, and MOWIFLEX™ are the trademarks or registered trademarks of Kuraray or its affiliated companies. The information, recommendations, and details in this document are provided based on sufficient consideration to the best of Kuraray's knowledge. However, they are not intended to guarantee any characteristics beyond the product specifications. Customers should verify the suitability of our products for their intended use and compliance with relevant laws and regulations. Neither Kuraray nor any of its affiliated companies makes any warranty or responsibility for any errors, inaccuracies, or omissions in this document.